2347

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2347	029	01 07 74	23AL	3449	7617

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0008	15	—	17	007	N	NE	10

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	OC	SA	S	SD	008	—	15	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00001	0001	0027	00212

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H6	3L1			PO	DO
START	34° 49'	76° 17'	1553	4852	8		1442	1444
							PU	ON
FINISH	34° 51'	76° 15'	1528	4851	8		1514	1516

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
100	800/5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

Recorded on Ross

OBSERVATIONS

1/2 basket of live scallops

Scallop Survey

R/V DAN MOORE SPECIES LIST

STATION NUMBER 2347 DATE 1/7/ 1974 IDENTIFIED BY ABP, BFH,

TOTAL CATCH WT. 240 # SUBSAMPLE WT. - NO. BASKETS 3

Finfish: 1# Shellfish: 27# Crustaceans: <1# Other: 212#

SPECIES	NUMBER	WEIGHT	DATA TAKEN *
SCALLOPS (1/2 basket)	220	27#	Length-freq.; meat yield.
(134 meats = 1 lb.)	)		
P. dentatus	3	1#	Retained for analysis.
TRASH		212#	
Sea Stars			(3 species)
1. Asterias			These 3 species sampled.
2. Ludia			Identification pending.
3.			
Limulus shells			
Shells, dead — Majority of catch			
Sea Urchins			
Sand Dollars			
Calapa crab. (live)	1		
Note: Length-frequency data on raw species list form.			

*Include type of data taken, i.e length, weight, scales, gonads, saved for identification, etc.

Species: P. dentatus

Specimen Number	T.L.	Sex	Otoliths	Gonads	Fecundity	Back-calc.	Age	Gonad Stage	Station Number	Remarks WT. IN (g)	
I-94	215 ✓	♀	✓	—				I	2368	110	Jan 1974
I-95	205 ✓	♀	✓	—				II	II	110	Area I
I-96	200 ✓	♀	✓	—				II	II	95	
I-97	190 ✓	♀	✓	—				I	II	70	
I-98	153 ✓	I	✓	—				—	2367	40	Chesapeake
I-99	158 ✓	♀	✓	—				I	II	45	Bay - Lynhaven Inlet
I-100	165 ✓	♂	✓	—				—	II	50	Jan 1974
I-101	132 ✓	I	✓	—				—	II	30	Area I
I-102	135 ✓	I	✓	—				—	II	35	
I-103	178 ✓	♂	✓	—				—	II	60	
I-104	130 ✓	I	✓	—				—	II	30	
I-105	181 ✓	♂	✓	—				—	II	70	
I-106	167 ✓	♀	✓	—				I	II	60	
I-107	147 ✓	♀	✓	—				I	II	35	
I-108	173 ✓	♂	✓	—				—	II	65	
I-109	153 ✓	I	✓	—				—	II	45	
I-110	156 ✓	I ♂?	✓	—				—	II	45	
I-111	160 ✓	♂	✓	—				—	II	50	
I-112	108 ✓	I	✓	—				—	II	15	
I-113	128 ✓	I	✓	—				—	II	15	
I-114	118 ✓	I	✓	—				—	II	15	
I-115	166 ✓	♂	✓	—				—	II	55	
I-116	253 ✓	♀ ✓	✓	—				I	2347	180	/ Area III
I-117	315 ✓	♂ ✓	✓	—				—	II	310	Jan 1974
I-118	326 ✓	♂ ✓	✓	—				—	II	390	
I-119	387 ✓	♂	✓	—				—	2350 ✓	635	/ Area III Jan 1974
I-120	185 ✓	♂	✓	—				—	2352	70	/ Area III
I-121	289 ✓	♂	✓	—				—	II	250	Jan 1974
I-122	235 ✓	♀	✓	—				I	2348 ✓	140	/ Area III Jan 1974

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore234700unse

Length-frequency distribution

Species: P. dentatus

Date: January 7, 1974

Station: 2347

Locality: 23AL (Drum Inlet)

T.L.	♂	♀
100-109		
110-		
120-		
130-		
140-		
150-		
160-		
170-		
180-		
190-		
200-		
210-		
220-		
230-		
240-		
250-		1 (1)
260-		
270-		
280-		
290-		
300-		
310-	1 (1)	
320-	1 (1)	
330-		
340-		
350-		
360-		
370-		
380-		
390-		
400-		
410-		
420-		
430-		
440-		
450-		
460-		
470-		
480-		
490-		
500-		
510-		
520-		
530-		
540-		
550-		
560-		
570-		
580-		
590-		

T.L.
600-
610-
620-
630-
640-
650-
660-
670-
680-
690-
700-
710-
720-
730-
740-
750-

$N_{♂} = 2$

$N_{♀} = 1$

$N_{TOTAL} = 3$

Scallop Dredge

2347